



K21U 3614

Reg. No. : .....

Name : .....

II Semester B.Sc. Degree (CBCSS – Supple.) Examination, April 2021  
(2014-2018 Admission)

**COMPLEMENTARY COURSE IN MATHEMATICS**  
**2C02 MAT-CS : Mathematics for Computer Science – II**

Time : 3 Hours

Max. Marks : 40

**SECTION – A**

All the first 4 questions are **compulsory**. They carry 1 mark each.

1. Give the reduction formula for  $\int \tan^n x dx$ .
2. If the two curves  $y_1 = \phi_1(x)$  and  $y_2 = \phi_2(x)$  intersect at  $(a, c)$  and  $(b, d)$  and lie between these points, then what is the area between these curves ?
3. Give an example for a  $3 \times 3$  upper triangular matrix. ✓
4. If  $A = A^T$ , then it is said to be a \_\_\_\_\_ matrix. ✓

**SECTION – B**

Answer any 7 questions from among the questions 5 to 13. These questions carry 2 marks each.

5. Evaluate  $\int \operatorname{cosec}^5 x dx$ .
6. Find the whole area included between the curve  $x^2 y^2 = a^2(y^2 - x^3)$  and its asymptotes.
7. Find the perimeter of the cardioid  $r = a(1 - \cos \theta)$ .
8. Find the volume of the solid generated by the revolution of the tractrix  $x = a \cos t + \frac{1}{2} \log \tan^2 \frac{t}{2}$ ,  $y = a \sin t$  about its asymptotes.

P.T.O.



9. Evaluate  $\int_0^\pi \int_0^x \sin y \, dy \, dx$ .
10. Find the volume of the solid whose base is in the  $xy$ -plane and is the triangle bounded by the  $x$ -axis, the line  $y = x$  and the line  $x = 1$  while the top of the solid is in the plane  $z = x + y + 1$ .
11. Let  $A$  be a  $2 \times 2$  matrix. If it is symmetric as well as skew symmetric, then what is  $A$  and why?
12. Are the vectors  $(1, 2)$ ,  $(3, 4)$  linearly independent? Why? ✓
13. If  $A$ ,  $B$  are both orthogonal, then what we can say about  $AB$ ? Why?

## SECTION – C

Answer **any 4** questions from among the questions **14 to 19**. These questions carry **3 marks each**.

14. If  $I_n = \int_0^a (a^2 - x^2)^n \, dx$  and  $n \neq 0$  prove that  $I_n = \frac{2na^2}{2n+1} I_{n-1}$ .
15. Find the perimeter of the loop of the curve  $9ay^2 = (x - 2a)(x - 5a)^2$ .
16. Find the rank of  $A = \begin{pmatrix} 1 & 3 & 1 \\ 2 & 5 & 3 \\ 3 & 1 & 1 \end{pmatrix}$  by row reduction. ✓
17. For the orthogonal matrix  $A = \begin{pmatrix} 0 & 1 \\ -1 & 0 \end{pmatrix}$ , verify that  $A^{-1} = A^T$ . ✓
18. Verify the Cayley-Hamilton theorem for  $A = \begin{pmatrix} 2 & 1 \\ 0 & 3 \end{pmatrix}$ . ✓
19. Consider the systems of linear equations :  
 $x + y = 3$ ,  $4x + 3y = 4$  and  
 $5x + 4y = 7$ ,  $9x + 7y = 11$ . Are they row equivalent? Why? ✓



SECTION - D

Answer **any 2** questions from among the questions **20** to **23**. These questions carry **5** marks **each**.

20. Find the ratio of the two parts into which the parabola  $2a = r(1 + \cos\theta)$  divides the area of the cardioid  $r = 2a(1 + \cos\theta)$ .

21. If the hyperbola  $\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$  revolves about the x-axis, show that the volume included between the surface thus generated, the cone generated by the asymptote and two planes perpendicular to the axis of x, at a distance h apart is equal to that of a circular cylinder of height h and radius b.

22. Solve the system of linear equations :

$$2a + 3b + 4c + 5d = 6$$

$$a - b + 2c - 4d = 4$$

$$a + c - 8d = 5$$

by row reduction. How many solutions the system have ? Why ? ✓

23. Diagonalize the matrix  $A = \begin{pmatrix} -6 & 4 \\ 3 & 5 \end{pmatrix}$ . ✓