Reg. No.:
Name:

VI Semester B.Sc. Degree (CBCSS - OBE - Regular) Examination, April 2022 (2019 Admission) CORE COURSE IN MATHEMATICS 6B13 MAT: Linear Algebra

Time: 3 Hours Max. Marks: 48

PART - A

Answer any four questions. Each question carries one mark.

- 1. Find the equation of the line passing through the points (3, -2, 4) and (-5, 7, 1).
- 2. State true or false: A set consisting of a single non zero vector is linearly dependent.
- 3. Define the formula for the linear transformation that rotates a vector (a_1, a_2) in \mathbb{R}^2 counter clockwise through an angle $\theta.$
- 4. State Dimension Theorem.
- 5. What is the smallest possible nullity of a 3×5 matrix?

PART - B

Answer any eight questions. Each question carries two marks.

- 6. Let $S = \{(a_1, a_2) \mid a_1, a_2 \in \mathbb{R}\}$. Define $(a_1, a_2) + (b_1, b_2) = (a_1 + b_1, a_2 b_2)$ and $c(a_1, a_2) = (ca_1, ca_2)$. Is S a vector space? Justify your answer.
- 7. Show that the set of all n × n matrices having trace equal to zero is a subspace of $M_{n \times n}(F)$.
- 8. Let W be a subspace of a vector space over a field F. Then prove that $v_1 + W = v_2 + W \text{ iff } v_1 - v_2 \in W.$
- 9. Check whether the set {(1, -1, 2), (1, -2, 1), (1, 1, 4)} is linearly independent or not.



- 10. Let S be a linearly independent subset of a vectorspace V. Then prove that there exist a maximal linearly independent subset of V that contains S.
- 11. If $T: \mathbb{R}^2 \to \mathbb{R}^3$ is a linear transformation such that T(1, 1) = (1, 0, 2) and T(2, 3) = (1, -1, 4), then find T(8, 11).
- 12. Find the rank of $A = \begin{bmatrix} 1 & 2 & 3 \\ 2 & 1 & 4 \\ 3 & 0 & 5 \end{bmatrix}$ by reducing to row echelon form.
- 13. Let V and W be vector spaces and T : V \rightarrow W be linear. Show that the nullspace N(T) and range of T, R(T) are subspaces of V and W respectively.
- 14. If A is a square matrix with λ as an eigenvalue, then prove that λ^{-1} is an eigenvalue of A⁻¹.
- 15. Find A⁻¹ using Cayley Hamilton Theorem for the matrix 2 3
- 16. For what value of k the following system of homogeneous equations have a non trivial solution: x + 2y - 3z = 0, 2x + y + z = 0 and x - y + kz = 0?

Answer any four questions. Each question carries four marks.

- 17. Let V be a vector space. Then show that a subset W of V is a subspace of V if and only if the following conditions hold.
 - a) 0 ∈ W
 - b) $x + y \in W$
 - c) cx ∈ W.
- 18./If W₁ and W₂ are subspaces of a vectorspace V, then prove that W₁ + W₂ is a subspace of V that contains both W₁ and W₂.
- 19. Determine whether the set $\{(-1, 3, 1), (2, -4, -3), (-3, 8, 2)\}$ is a basis for \mathbb{R}^3 .
- 20. Find the matrix of the linear transformation $T:\mathbb{R}^2\to\mathbb{R}^3$ defined by $T(a_1, a_2) = (2a_1 - a_2, 3a_1 + 4a_2, a_1)$ with respect to the standard ordered basis
- 21. Reduce to normal form and find the rank of $\begin{bmatrix} 1 & 2 & -1 \\ 3 & -1 & 2 \\ 4 & 1 & 3 \end{bmatrix}$

Solve

$$x + 3y + 3z = 1$$

 $x + 6y + 9z = 5$
 $-x - 3y + 3z = 5$.

23. Find the null space and nullity of 0 1 1 0 1 2 0 1

PART - D

Answer any two questions. Each question carries 6 marks.

- Show that the set of all $m \times n$ matrices with entries from a field F is a vector space over F.
- 25. Define basis of a vectorspace with an example. Show that every vectorspace of finite dimension has the same number of vectors.
- 26. Find the inverse of A = $\begin{pmatrix} 0 & 1 & 2 \\ 1 & 2 & 3 \\ 3 & 1 & 2 \end{pmatrix}$ using elementary row operations.
- 27. Find the null space and range space of $A = \begin{bmatrix} 0 & 0 & 2 \\ 0 & 0 & -1 \end{bmatrix}$.